

HILBRO

The Surgical Instruments Manufacturing Company



LARYNGOSCOPE SYSTEM




HILBRO
The Surgical Instruments Manufacturing Company


LARYNGOSCOPE SYSTEM

HILBRO

The Surgical Instruments Manufacturing Company


 Small Industrial Estate,
Shahab Pura,
Sialkot - Pakistan.

 Hilbro Industrial Park
11-Km Daska Road,
Ghunki, Sialkot - Pakistan.

 0092 52 3550922

 www.hilbro.net

 sales@hilbro-instruments.com

 www.hilbro-instruments.com

HILBRO

The Surgical Instruments Manufacturing Company

LARYNGOSCOPES FROM HILBRO

Innovative design and optimum light quality are the hallmarks of the laryngoscopes from HILBRO. Whether as an intubation aide before anaesthesia or to examine and clear airways in an emergency – the rigid laryngoscopes are constant aides in medical practices and clinics. HILBRO offers conventional and fiber optic laryngoscopes in various sizes and designs. Our laryngoscopes comprises two ranges; Reusable-laryngoscope and Single-Use laryngoscope. The premium-quality materials and precise craftsmanship promise the highest level of reliability. The replaceable blades ensure optimal treatment of every patient. Cold light and warm light laryngoscopes are available.



Premium-quality materials and precise craftsmanship promise the highest level of reliability.

TABLE OF CONTENTS

REUSABLE	01 - 12	SINGLE USE	13 - 16
CONVENTIONAL	01 - 04	CONVENTIONAL	14
Macintosh Blades	02	Macintosh Blades	14
American Macintosh Blades	02	Miller Blades	14
Miller Blades	02	Handle	14
American Miller Blades	03	FIBER OPTIC - GREEN SYSTEM	15
Wisconsin Foregger Blades	03	Macintosh Blades	15
Guedel Neagus Blades	03	Miller Blades	15
Macintosh - Flexible Tip Blades	04	Handle	15
Spare Lamps	04	FIBER OPTIC - GREEN SYSTEM	
Handles	04	PLASTIC DISPOSABLE	16
FIBER OPTIC		Macintosh Blades	16
FIXED LIGHT GUIDE	05 - 07	Miller Blades	16
Macintosh Blades	06	Handle	16
American Macintosh Blades	06	SETS	17
Miller Blades	06	Sets	17
American Miller Blades	07	INSTRUMENTS	18 - 21
Wisconsin Foregger Blades	07	Catheter Introducing Forceps	18
Guedel Neagus Blades	07	Hemostatic Forceps	19
FIBER OPTIC		Operating Scissors	20
INTERCHANGEABLE TUBE	08 - 09	Bandage Scissors	21
Macintosh Blades - Interchangeable Tube	08		
American Macintosh Blades - Interchangeable Tube	08		
Miller Blades - Interchangeable Tube	08		
American Miller Blades - Interchangeable Tube	09		
Wisconsin Foregger Blades - Interchangeable Tube	09		
Guedel Neagus Blades - Interchangeable Tube	09		
FIBER OPTIC			
INTEGRATED FIBER	10 - 11		
Macintosh Blades - Integrated	10		
Miller Blades - Integrated	10		
Macintosh - Flexible Tip Blades - Integrated	11		
FIBER OPTIC			
HANDLES & LAMPS	12		
Spare Lamp and LED Catridge	12		
Handles	12		



CONVENTIONAL REUSABLE LARYNGOSCOPES

Specially designed blades for easy intubation.
Matt finished to reduce the glare.
Reliable light source for bright illumination of the examination area.





Macintosh
Conventional

Cat. No.	Fig	Working Length	Spare Lamp
04.1110.55	0	55 mm	04.1100.01
04.1110.70	1	70 mm	04.1100.02
04.1110.78	2	78 mm	04.1100.02
04.1110.90	2	90 mm	04.1100.02
04.1110.10	3	108 mm	04.1100.02
04.1110.13	4	133 mm	04.1100.02
04.1110.15	5	150 mm	04.1100.02



American Macintosh
Conventional


Cat. No.	Fig	Working Length	Spare Lamp
04.1120.65	0	65 mm	04.1100.01
04.1120.66	1	66 mm	04.1100.01
04.1120.86	2	86 mm	04.1100.01
04.1120.10	3	107 mm	04.1100.02
04.1120.12	3.5	123 mm	04.1100.02
04.1120.13	4	134 mm	04.1100.02



Miller
Conventional

Cat. No.	Fig	Working Length	Spare Lamp
04.1130.45	00	45 mm	04.1100.01
04.1130.55	0	55 mm	04.1100.01
04.1130.80	1	80 mm	04.1100.01
04.1130.13	2	130 mm	04.1100.02
04.1130.17	3	170 mm	04.1100.02
04.1130.18	4	180 mm	04.1100.02





American Miller
Conventional

Cat. No.	Fig	Working Length	Spare Lamp
04.1130.55	0	55 mm	04.1100.01
04.1130.80	1	80 mm	04.1100.01
04.1140.13	2	132 mm	04.1100.01
04.1140.17	3	172 mm	04.1100.01
04.1140.18	4	182 mm	04.1100.02



Wisconsin Foregger
Conventional



Cat. No.	Fig	Working Length	Spare Lamp
04.1150.71	0	71 mm	04.1100.01
04.1150.90	1	90 mm	04.1100.01
04.1150.11	2	110 mm	04.1100.02
04.1150.13	3	137 mm	04.1100.02
04.1150.17	4	178 mm	04.1100.02



Guedel Neagus
Conventional

Cat. No.	Fig	Working Length	Spare Lamp
04.1160.72	1	72 mm	04.1100.02
04.1160.95	2	95 mm	04.1100.02
04.1160.11	3	111 mm	04.1100.02
04.1160.13	4	135 mm	04.1100.02





Macintosh - Flexible Tip
Conventional

Cat. No.	Fig	Working Length	Spare Lamp
04.1310.90	2	90 mm	04.1100.02
04.1310.10	3	108 mm	04.1100.02
04.1310.13	4	133 mm	04.1100.02
04.1310.15	5	150 mm	04.1100.02



Spare Lamps
Conventional

Cat. No.	Description
04.1100.01	Small spare lamp for conventional blades
04.1100.02	Large spare lamp for conventional blades

Handles
Conventional

Cat. No.	Size	Batteries
04.2100.01	Medium / Standard	2C
04.2100.02	Small / Penlight	2AA
04.2100.03	Stubby	2AA
04.2100.04	Large	2D



FIBER OPTIC REUSABLE LARYNGOSCOPES

Specially designed blades for easy intubation.
Matt finished to reduce the glare.
Superior quality of glass fiber optic for maximum bright illumination.





Macintosh - Cold Light Guide, Fixed
Fiber Optic

Cat. No.	Fig	Working Length
04.1210.55	0	55 mm
04.1210.70	1	70 mm
04.1210.78	2	78 mm
04.1210.90	2	90 mm
04.1210.10	3	108 mm
04.1210.13	4	133 mm
04.1210.15	5	150 mm



American Macintosh - Cold Light Guide, Fixed
Fiber Optic

Cat. No.	Fig	Working Length
04.1220.65	0	65 mm
04.1220.66	1	66 mm
04.1220.86	2	86 mm
04.1220.10	3	107 mm
04.1220.12	3.5	123 mm
04.1220.13	4	134 mm



Miller - Cold Light Guide, Fixed
Fiber Optic

Cat. No.	Fig	Working Length
04.1230.45	00	55 mm
04.1230.55	0	55 mm
04.1230.80	1	80 mm
04.1230.13	2	130 mm
04.1230.17	3	170 mm
04.1230.18	4	180 mm






**American Miller - Cold Light Guide, Fixed
Fiber Optic**

Cat. No.	Fig	Working Length
04.1230.55	0	55 mm
04.1230.80	1	80 mm
04.1240.13	2	132 mm
04.1240.17	3	172 mm
04.1240.18	4	182 mm




**Wisconsin Foregger - Cold Light Guide, Fixed
Fiber Optic**


Cat. No.	Fig	Working Length
04.1250.71	0	71 mm
04.1250.90	1	90 mm
04.1250.11	2	110 mm
04.1250.13	3	137 mm
04.1250.17	4	178 mm



**Guedel Neagus - Cold Light Guide, Fixed
Fiber Optic**

Cat. No.	Fig	Working Length
04.1260.72	1	72 mm
04.1260.95	2	95 mm
04.1260.11	3	111 mm
04.1260.13	4	135 mm





Macintosh - Cold Light Guide, Interchangeable Fiber Optic

Cat. No.	Fig	Working Length	Spare Insert
04.1510.55	0	55 mm	04.1510.01
04.1510.70	1	70 mm	04.1510.02
04.1510.78	2	78 mm	04.1510.03
04.1510.90	2	90 mm	04.1510.04
04.1510.10	3	108 mm	04.1510.05
04.1510.13	4	133 mm	04.1510.06
04.1510.15	5	150 mm	04.1510.07



American Macintosh - Cold Light Guide, Interchangeable Fiber Optic

Cat. No.	Fig	Working Length	Spare Insert
04.1520.65	0	65 mm	04.1520.01
04.1520.66	1	66 mm	04.1520.02
04.1520.86	2	86 mm	04.1520.03
04.1520.10	3	107 mm	04.1520.04
04.1520.12	3.5	123 mm	04.1520.05
04.1520.13	4	134 mm	04.1520.06



Miller - Cold Light Guide, Interchangeable Fiber Optic

Cat. No.	Fig	Working Length	Spare Insert
04.1530.45	00	45 mm	04.1530.01
04.1530.55	0	55 mm	04.1530.02
04.1530.80	1	80 mm	04.1530.03
04.1530.13	2	130 mm	04.1530.04
04.1530.17	3	170 mm	04.1530.05
04.1530.18	4	180 mm	04.1530.06






**American Miller - Cold Light Guide, Interchangeable
Fiber Optic**

Cat. No.	Fig	Working Length	Spare Insert
04.1530.55	0	55 mm	04.1540.01
04.1530.80	1	80 mm	04.1540.02
04.1540.13	2	132 mm	04.1540.03
04.1540.17	3	172 mm	04.1540.04
04.1540.18	4	182 mm	04.1540.05



**Wisconsin Foregger - Cold Light Guide, Interchangeable
Fiber Optic**

Cat. No.	Fig	Working Length	Spare Lamp
04.1550.71	0	71 mm	04.1550.01
04.1550.90	1	90 mm	04.1550.02
04.1550.11	2	110 mm	04.1550.03
04.1550.13	3	137 mm	04.1550.04
04.1550.17	4	178 mm	04.1550.05



**Guedel Neagus - Cold Light Guide, Interchangeable
Fiber Optic**

Cat. No.	Fig	Working Length	Spare Lamp
04.1560.72	0	72 mm	04.1560.01
04.1560.95	1	95 mm	04.1560.02
04.1560.11	2	111 mm	04.1560.03
04.1560.13	3	135 mm	04.1560.04





**Macintosh - Cold Light Guide, Integrated
Fiber Optic**

Cat. No.	Fig	Working Length
04.1810.58	0	58 mm
04.1810.72	1	72 mm
04.1810.88	2	88 mm
04.1810.11	3	112 mm
04.1810.13	4	131 mm
04.1810.14	5	148 mm



**Miller - Cold Light Guide, Integrated
Fiber Optic**


Cat. No.	Fig	Working Length
04.1830.45	00	45 mm
04.1830.55	0	55 mm
04.1830.80	1	80 mm
04.1830.13	2	130 mm
04.1830.17	3	170 mm
04.1830.18	4	180 mm





**Macintosh - Cold Light Guide, Integrated, Flexible Tip
Fiber Optic**

Cat. No.	Fig	Working Length
04.1410.90	2	90 mm
04.1410.10	3	108 mm
04.1410.13	4	133 mm
04.1410.15	5	150 mm



Handles
Fiber Optic

Cat. No.	Size	Batteries
04.2200.01	Medium / Standard	2C
04.2200.02	Small / Penlight	2AA
04.2200.03	Stubby	2AA
04.2200.04	Large	2D



LED Handles
Fiber Optic

Cat. No.	Size	Batteries
04.2205.01	Medium / Standard	2C
04.2205.02	Small / Penlight	2AA
04.2205.03	Stubby	2AA




Spare Lamps
Fiber Optic

Cat. No.	Description
04.2200.00	Spare lamp for fiber optic handles
04.2205.00	Spare LED cartridge



SINGLE USE LARYNGOSCOPES

- Single patient use only.
- Latex free and safe in use.
- Especially very effective under emergency situations.
- Cleaned packed.





Macintosh - Metal Single Use
Conventional

Cat. No.	Fig	Working Length
04.1616.55	0	55 mm
04.1616.70	1	70 mm
04.1616.90	2	90 mm
04.1616.10	3	108 mm
04.1616.13	4	133 mm



Miller - Metal Single Use
Conventional

Cat. No.	Fig	Working Length
04.1636.45	00	45 mm
04.1636.55	0	55 mm
04.1636.80	1	80 mm
04.1636.13	2	130 mm
04.1636.17	3	170 mm
04.1636.18	4	180 mm



Handle
Conventional - Disposable

Cat. No.	Size	Batteries
04.2101.00	Medium / Standard	2C





Macintosh - Metal Single Use
Green System

Cat. No.	Fig	Working Length
04.1718.55	0	55 mm
04.1718.70	1	70 mm
04.1718.90	2	90 mm
04.1718.10	3	108 mm
04.1718.13	4	133 mm



Miller - Metal Single Use
Green System

Cat. No.	Fig	Working Length
04.1738.45	00	45 mm
04.1738.55	0	55 mm
04.1738.80	1	80 mm
04.1738.13	2	130 mm
04.1738.17	3	170 mm
04.1738.18	4	180 mm



Handle
Fiber Optic - Disposable

Cat. No.	Size	Batteries
04.2301.00	Medium / Standard	2C





Macintosh - Plastic Single Use
Green System

Cat. No.	Fig	Working Length
04.1719.90	2	90 mm
04.1719.10	3	110 mm
04.1719.13	4	133 mm



Miller - Plastic Single Use
Green System

Cat. No.	Fig	Working Length
04.1739.55	0	55 mm
04.1739.80	1	80 mm
04.1739.13	2	132 mm
04.1739.17	3	172 mm



Handle
Fiber Optic - Disposable

Cat. No.	Size	Batteries
04.2301.00	Medium / Standard	2C



SETS

LARYNGOSCOPES

- Hard plastic case.
- Foam insert.
- Easy to open and close.
- Configured sets.





Magill
Reusable

Cat. No.	Size
04.0100.15	15 cm

Single Use

Cat. No.	Size
04.0100.15S	15 cm



Magill
Reusable

Cat. No.	Size
04.0100.17	17 cm

Single Use

Cat. No.	Size
04.0100.17S	17 cm




Magill
Reusable

Cat. No.	Size
04.0100.20	20 cm

Single Use

Cat. No.	Size
04.0100.20S	20 cm



Magill
Reusable

Cat. No.	Size
04.0100.25	25 cm

Single Use

Cat. No.	Size
04.0100.25S	25 cm



Spencer-Wells
Reusable

Cat. No.	Size
14.0162.15	15 cm

Single Use

Cat. No.	Size
14.0162.15S	15 cm



Spencer-Wells
Reusable

Cat. No.	Size
14.0162.18	18 cm

Single Use

Cat. No.	Size
14.0162.18S	18 cm



Standard - blunt/blunt
Reusable

Cat. No.	Size
10.0010.14	14.5 cm

Single Use

Cat. No.	Size
10.0010.14S	14.5 cm



Standard - sharp/blunt
Reusable

Cat. No.	Size
10.0012.14	14.5 cm

Single Use

Cat. No.	Size
10.0012.14S	14.5 cm



Standard - sharp/sharp
Reusable

Cat. No.	Size
10.0014.14	14.5 cm

Single Use

Cat. No.	Size
10.0014.14S	14.5 cm



Utility

Cat. No.	Size	Color	
24.0080.18	18 cm	Black	
24.0080.18B	18 cm	Blue	
24.0080.18G	18 cm	Green	
24.0080.18O	18 cm	Orange	
24.0080.18P	18 cm	Pink	
24.0080.18R	18 cm	Red	
24.0080.18Y	18 cm	Yellow	


HILBRO
The Surgical Instruments Manufacturing Company

- FDA REGISTRATION
- ISO / EN / 13485:2016
- ISO / EN / 9001:2015
- ISO 7153/1.1
- CE CERTIFIED
- JAPANESE ACCREDITATION
- CFDA REGISTRATION




HILBRO

The Surgical Instruments Manufacturing Company

 Small Industrial Estate,
Shahab Pura,
Sialkot - Pakistan.

 Hilbro Industrial Park
11-Km Daska Road,
Ghunki, Sialkot - Pakistan.

 0092 52 3550922

 www.hilbro.net

 sales@hilbro-instruments.com

 www.hilbro-instruments.com